



celiac disease

Celiac disease is a condition in which the immune system is abnormally sensitive to gluten, a protein found in wheat, rye, and barley. Celiac disease is an autoimmune disorder; autoimmune disorders occur when the immune system malfunctions and attacks the body's own tissues and organs. Without a strict, lifelong gluten-free diet, inflammation resulting from immune system overactivity may cause a wide variety of signs and symptoms involving many parts of the body.

Celiac disease can develop at any age after an individual starts eating foods containing gluten. The classic symptoms of the condition result from inflammation affecting the gastrointestinal tract. This inflammation damages the villi, which are small, finger-like projections that line the small intestine and provide a greatly increased surface area to absorb nutrients. In celiac disease, the villi become shortened and eventually flatten out. Intestinal damage causes diarrhea and poor absorption of nutrients, which may lead to weight loss. Abdominal pain, swelling (distention), and food intolerances are common in celiac disease. Inflammation associated with celiac disease may lead to an increased risk of developing certain gastrointestinal cancers such as cancers of the small intestine or esophagus.

Inflammation and poor nutrient absorption may lead to problems affecting many other organs and systems of the body in affected individuals. These health problems may include iron deficiency that results in a low number of red blood cells (anemia), vitamin deficiencies, low bone mineral density (osteoporosis), itchy skin rashes (dermatitis herpetiformis), defects in the enamel of the teeth, chronic fatigue, joint pain, poor growth, delayed puberty, infertility, or repeated miscarriages. Neurological problems have also been associated with celiac disease; these include migraine headaches, depression, attention deficit hyperactivity disorder (ADHD), and recurrent seizures (epilepsy). Many people with celiac disease have one or more of these varied health problems but do not have gastrointestinal symptoms. This form of the condition is called nonclassic celiac disease. Researchers now believe that nonclassic celiac disease is actually more common than the classic form.

Celiac disease often goes undiagnosed because many of its signs and symptoms are nonspecific, which means they may occur in many disorders. Most people who have one or more of these nonspecific health problems do not have celiac disease. On average, a diagnosis of celiac disease is not made until 6 to 10 years after symptoms begin.

Some people have silent celiac disease, in which they have no symptoms of the disorder. However, people with silent celiac disease do have immune proteins in their

blood (antibodies) that are common in celiac disease. They also have inflammatory damage to their small intestine that can be detected with a biopsy.

In a small number of cases, celiac disease does not improve with a gluten-free diet and progresses to a condition called refractory sprue. Refractory sprue is characterized by chronic inflammation of the gastrointestinal tract, poor absorption of nutrients, and an increased risk of developing a type of cancer of the immune cells called T-cell lymphoma.

Frequency

Celiac disease is a common disorder. Its prevalence has been estimated at about 1 in 100 people worldwide.

Genetic Changes

The risk of developing celiac disease is increased by certain variants of the *HLA-DQA1* and *HLA-DQB1* genes. These genes provide instructions for making proteins that play a critical role in the immune system. The *HLA-DQA1* and *HLA-DQB1* genes belong to a family of genes called the human leukocyte antigen (HLA) complex. The HLA complex helps the immune system distinguish the body's own proteins from proteins made by foreign invaders such as viruses and bacteria.

The proteins produced from the *HLA-DQA1* and *HLA-DQB1* genes attach (bind) to each other to form a functional protein complex called an antigen-binding DQ $\alpha\beta$ heterodimer. This complex, which is present on the surface of certain immune system cells, attaches to protein fragments (peptides) outside the cell. If the immune system recognizes the peptides as foreign (such as viral or bacterial peptides), it triggers a response to attack the invading viruses or bacteria.

Celiac disease is associated with an inappropriate immune response to a segment of the gluten protein called gliadin. This inappropriate activation of the immune system causes inflammation that damages the body's organs and tissues and leads to the signs and symptoms of celiac disease.

Almost all people with celiac disease have specific variants of the *HLA-DQA1* and *HLA-DQB1* genes, which seem to increase the risk of an inappropriate immune response to gliadin. However, these variants are also found in 30 percent of the general population, and only 3 percent of individuals with the gene variants develop celiac disease.

It appears likely that other contributors, such as environmental factors and changes in other genes, also influence the development of this complex disorder.

Inheritance Pattern

Celiac disease tends to cluster in families. Parents, siblings, or children (first-degree relatives) of people with celiac disease have between a 4 and 15 percent chance of developing the disorder. However, the inheritance pattern is unknown.

Other Names for This Condition

- celiac sprue
- gluten enteropathy
- sprue

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Celiac disease
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0007570/>

Other Diagnosis and Management Resources

- Beth Israel Deaconess: Celiac Center
<http://www.bidmc.org/Centers-and-Departments/Departments/Digestive-Disease-Center/Services/Celiac-Center.aspx>
- Columbia University Celiac Disease Center
<https://celiacdiseasecenter.columbia.edu/>
- GeneReview: Celiac Disease
<https://www.ncbi.nlm.nih.gov/books/NBK1727>
- Massachusetts General Hospital Center for Celiac Research and Treatment
<http://www.massgeneral.org/children/services/treatmentprograms.aspx?id=1723>
- MedlinePlus Encyclopedia: Celiac Disease Nutritional Considerations
<https://medlineplus.gov/ency/article/002443.htm>
- North American Society for Pediatric Gastroenterology, Hepatology, and Nutrition: Gluten-Free Diet Guide
<http://www.gikids.org/files/documents/resources/Gluten-FreeDietGuideWeb.pdf>
- University of Chicago Celiac Disease Center
http://www.cureceliacdisease.org/?utm_source=celiacdisease&utm_medium=redirect&utm_campaign=CeliacdiseaseBRedirect

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>

- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Celiac Disease
<https://medlineplus.gov/ency/article/000233.htm>
- Encyclopedia: Celiac Disease Nutritional Considerations
<https://medlineplus.gov/ency/article/002443.htm>
- Health Topic: Celiac Disease
<https://medlineplus.gov/celiacdisease.html>

Genetic and Rare Diseases Information Center

- Celiac disease
<https://rarediseases.info.nih.gov/diseases/11998/celiac-disease>

Additional NIH Resources

- National Institute of Diabetes and Digestive and Kidney Diseases: Celiac Disease
<https://www.niddk.nih.gov/health-information/digestive-diseases/celiac-disease>
- National Institute of Diabetes and Digestive and Kidney Diseases: Dermatitis Herpetiformis, Skin Manifestations of Celiac Disease
<https://www.niddk.nih.gov/health-information/digestive-diseases/dermatitis-herpetiformis>

Educational Resources

- Academy of Nutrition and Dietetics
<http://www.eatright.org/resource/health/diseases-and-conditions/celiac-disease/understanding-celiac-disease>
- Disease InfoSearch: Celiac Disease
<http://www.diseaseinfosearch.org/Celiac+Disease/1186>
- KidsHealth: Celiac Disease
<http://kidshealth.org/en/kids/celiac.html>
- MalaCards: celiac disease
http://www.malacards.org/card/celiac_disease
- My46 Trait Profile
<https://www.my46.org/trait-document?trait=Celiac%20disease&type=profile>

- Orphanet: Celiac disease
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=555
- TeensHealth: Celiac Disease
<http://kidshealth.org/en/teens/celiac.html>

Patient Support and Advocacy Resources

- Canadian Celiac Association
<http://www.celiac.ca/>
- Celiac Disease Foundation
<https://celiac.org/>
- Coeliac Australia
<http://www.coeliac.org.au/>
- Gluten Intolerance Group
<https://www.gluten.org/>

GeneReviews

- Celiac Disease
<https://www.ncbi.nlm.nih.gov/books/NBK1727>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22celiac+disease%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Celiac+Disease%5BMAJR%5D%29+AND+%28celiac+disease%5BTI%5D%29+AND+review%5Bpt%5D+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D>

OMIM

- CELIAC DISEASE, SUSCEPTIBILITY TO, 1
<http://omim.org/entry/212750>

Sources for This Summary

- Abadie V, Sollid LM, Barreiro LB, Jabri B. Integration of genetic and immunological insights into a model of celiac disease pathogenesis. *Annu Rev Immunol*. 2011;29:493-525. doi: 10.1146/annurev-immunol-040210-092915. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21219178>
- Crowe SE. In the clinic. Celiac disease. *Ann Intern Med*. 2011 May 3;154(9):ITC5-1-ITC5-15; quiz ITC5-16. doi: 10.7326/0003-4819-154-9-201105030-01005. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21536935>
- Freeman HJ. Risk factors in familial forms of celiac disease. *World J Gastroenterol*. 2010 Apr 21;16(15):1828-31. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20397258>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2856821/>
- GeneReview: Celiac Disease
<https://www.ncbi.nlm.nih.gov/books/NBK1727>
- Guandalini S, Assiri A. Celiac disease: a review. *JAMA Pediatr*. 2014 Mar;168(3):272-8. doi: 10.1001/jamapediatrics.2013.3858. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24395055>
- Karandish E, Hachem C. Celiac disease. *Mo Med*. 2009 Sep-Oct;106(5):346-50. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19902715>
- Rubio-Tapia A, Murray JA. Celiac disease. *Curr Opin Gastroenterol*. 2010 Mar;26(2):116-22. doi: 10.1097/MOG.0b013e3283365263. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20040864>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2830645/>
- Tack GJ, Verbeek WH, Schreurs MW, Mulder CJ. The spectrum of celiac disease: epidemiology, clinical aspects and treatment. *Nat Rev Gastroenterol Hepatol*. 2010 Apr;7(4):204-13. doi: 10.1038/nrgastro.2010.23. Epub 2010 Mar 9. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20212505>
- Tjon JM, van Bergen J, Koning F. Celiac disease: how complicated can it get? *Immunogenetics*. 2010 Oct;62(10):641-51. doi: 10.1007/s00251-010-0465-9. Epub 2010 Jul 27. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20661732>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2944025/>
- Uibo R, Tian Z, Gershwin ME. Celiac disease: a model disease for gene-environment interaction. *Cell Mol Immunol*. 2011 Mar;8(2):93-5. doi: 10.1038/cmi.2010.62. Epub 2011 Feb 14. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21317918>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4003132/>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/celiac-disease>

Reviewed: September 2015

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services